



Genome Sequence of *Micromonospora* sp. NBS 11-29, an Antibiotic and Hydrolytic Enzyme Producer, Isolated from River Sediment in Brazil

Simone Ichiwaki,^a Aline C. M. M. Costa,^a Eliane G. Silva,^a Lina R. M. Rada,^a Felipe R. Lima,^a Mabel P. Ortíz-Vera,^a Leandro M. Garrido,^a Maria Inês Z. Sato,^b Wellington L. Araújo,^a Gabriel Padilla^a

NAP-BIOP, Department of Microbiology, Institute of Biomedical Sciences, University of São Paulo, São Paulo, Brazil^a; Department of Environmental Analysis, Environmental Company of São Paulo State (CETESB), São Paulo, Brazil^b

ABSTRACT The genus *Micromonospora* comprises actinomycetes with high biotechnological potential, due to their ability to produce secondary metabolites and enzymes. In this study, we report the draft genome sequence of *Micromonospora* sp. NBS 11-29, which showed antibacterial, cellulolytic, and xylanolytic activities under *in vitro* conditions.

The genus *Micromonospora* belongs to the family *Micromonosporaceae*, which includes aerobic and filamentous Gram-positive bacteria with micellar development and single-spore sporangiophores (1). The colonies are typically orange, turning red, brown, or black on sporulation (2). These bacteria have been reported in a wide range of environments, such as in soil, freshwater or marine habitats, root nodules of legumes, and actinorhizal plants, as well as in extreme environments, such as Antarctic sandstone (3–7). *Micromonospora* spp. are best known as sources of hydrolytic enzymes and important secondary metabolites with pharmacological activities, such as oligosaccharide antibiotics, antitumor anthraquinones and anthracyclines (8–10), and also as plant growth promoters (3, 11). *Micromonospora* sp. NBS 11-29 was isolated from sediment of Promissão Reservoir (23°37'08" N, 47°23'22" W), which belongs to the Tietê River Basin in São Paulo State, Brazil. *Micromonospora* sp. NBS 11-29 is able to degrade complex polysaccharides, such as carboxymethylcellulose, pectin, and xylan under *in vitro* conditions, and demonstrated antibiotic activity against pathogenic microorganisms, such as *Candida albicans* and *Staphylococcus aureus*.

The genomic DNA of *Micromonospora* sp. NBS 11-29 was extracted from 7-day-old culture using the Wizard Genomic DNA purification kit (Promega) and sequenced with the Illumina HiSeq 2000 platform using 100-bp paired-end reads, to reach a 350-fold depth of coverage. The assembly of the reads was performed with the SOAPdenovo2 method (12), and the raw data were annotated with the software tool Prokka (13). The featured prediction tools used by Prokka included Prodigal (for coding DNA sequences), RNAmmer (for rRNAs), Aragorn (for tRNA genes), SignalP (for signal leader peptides), and Infernal (for non-coding RNA).

The draft of the *Micromonospora* sp. NBS 11-29 genome has 6,473,937 bp and a G+C content of 71.57%. The annotation analysis predicted 6,036 genes, of which 5,971 are coding DNA sequences, 63 are tRNAs, and 2 are tmRNAs. The prediction of the gene clusters was performed with the antiSMASH pipeline (14), which predicted biosynthetic gene clusters that code for bioactive secondary metabolites, including 4 terpenes, 10 type I polyketide synthases (PKS I), 1 siderophore, 1 lasso peptide, and 11 gene clusters

Received 28 April 2017 Accepted 18 May 2017 Published 13 July 2017

Citation Ichiwaki S, Costa ACMM, Silva EG, Rada LRM, Lima FR, Ortíz-Vera MP, Garrido LM, Sato MIZ, Araújo WL, Padilla G. 2017. Genome sequence of *Micromonospora* sp. NBS 11-29, an antibiotic and hydrolytic enzyme producer, isolated from river sediment in Brazil. *Genome Announc* 5:e00552-17. <https://doi.org/10.1128/genomeA.00552-17>.

Copyright © 2017 Ichiwaki et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Wellington L. Araújo, wlaraujo@usp.br, or Gabriel Padilla, gpadilla@icb.usp.br.

predicted to encode hybrid molecules, such as a terpene-bacteriocin hybrid and an NRPS-PKS I-oligosaccharide-Aminocoumarin hybrid.

Our data indicate that *Micromonospora* sp. NBS 11-29 has genes related to the production of potentially interesting secondary metabolites and hydrolytic enzymes, suggesting its high biotechnological potential as a bioactive-molecules producer.


Accession number(s). This whole-genome shotgun project has been deposited in GenBank under the accession number [NAPR00000000](https://doi.org/10.1093/nar/nwz000). The version described in this paper is the first version, NAPR01000000.

ACKNOWLEDGMENTS

This project was supported by the Pró-Reitoria de Pesquisa/University of São Paulo (USP), CNPq (grant 02458/2013-3), and CAPES (institutional student grants). We thank Carlos Jesus Brandão, Carmen Lucia Vergueiro Midaglia, and all the members of Environmental Company of São Paulo State (CETESB) for providing the sediment samples and for all the technical support given to this project.

REFERENCES

- Genilloud O. 2012. Genus I. *Micromonospora*, p 1039–1057. In Goodfellow M, Kämpfer P, Busse H-J, Trujillo ME, Suzuki KI, Ludwig W, Whitman WB (ed), *Bergey's manual of systematic bacteriology: the Actinobacteria*, 2nd ed. Springer, New York.
- Alonso-Vega P, Normand P, Bacigalupe R, Pujic P, Lajus A, Vallenet D, Carro L, Coll P, Trujillo ME. 2012. Genome sequence of *Micromonospora lupini* Lupac 08, isolated from root nodules of *Lupinus angustifolius*. *J Bacteriol* 194:4135. <https://doi.org/10.1128/JB.00628-12>.
- Hirsch AM, Valdés M. 2010. *Micromonospora*: an important microbe for biomedicine and potentially for biocontrol and biofuels. *Soil Biol Biochem* 42:536–542. <https://doi.org/10.1016/j.soilbio.2009.11.023>.
- Hirsch P, Mevs U, Kroppenstedt RM, Schumann P, Stackebrandt E. 2004. Cryptoendolithic actinomycetes from Antarctic sandstone rock samples: *Micromonospora endolithica* sp. nov. and two isolates related to *Micromonospora coerulea* Jensen 1932. *Syst Appl Microbiol* 27:166–174. <https://doi.org/10.1078/072320204322881781>.
- Martínez-Hidalgo P, Galindo-Villardón P, Trujillo ME, Igual JM, Martínez-Molina E. 2014. *Micromonospora* from nitrogen fixing nodules of alfalfa (*Medicago sativa* L.). A new promising plant probiotic bacteria. *Sci Rep* 4:6389. <https://doi.org/10.1038/srep06389>.
- Ningthouja DS, Sanasam S, Nimaichand S. 2009. Screening of actinomycete isolates from niche habitats in Manipur for antibiotic activity. *Am J Biochem Biotech* 5:221–225. <https://doi.org/10.3844/ajbbbsp.2009.221.225>.
- Valdés M, Pérez NO, Estrada-de Los Santos P, Caballero-Mellado J, Peña-Cabrales JJ, Normand P, Hirsch AM. 2005. Non-*Frankia* actinomycetes isolated from surface-sterilized roots of *Casuarina equisetifolia* fix nitrogen. *Appl Environ Microbiol* 71:460–466. <https://doi.org/10.1128/AEM.71.1.460-466.2005>.
- Bérdy J. 2005. Bioactive microbial metabolites. *J Antibiot* 58:1–26. <https://doi.org/10.1038/ja.2005.1>.
- de Menezes AB, Lockhart RJ, Cox MJ, Allison HE, McCarthy AJ. 2008. Cellulose degradation by micromonosporas recovered from freshwater lakes and classification of these actinomycetes by DNA gyrase B gene sequencing. *Appl Environ Microbiol* 74:7080–7084. <https://doi.org/10.1128/AEM.01092-08>.
- Igarashi Y, Trujillo ME, Martínez-Molina E, Yanase S, Miyanaga S, Obata T, Sakurai H, Saiki I, Fujita T, Furumai T. 2007. Antitumor anthraquinones from an endophytic actinomycete *Micromonospora lupini* sp. nov. *Bioorg Med Chem Lett* 17:3702–3705. <https://doi.org/10.1016/j.bmcl.2007.04.039>.
- Carro L, Pujic P, Trujillo ME, Normand P. 2013. *Micromonospora* is a normal occupant of actinorhizal nodules. *J Biosci* 38:685–693. <https://doi.org/10.1007/s12038-013-9359-y>.
- Luo R, Liu B, Xie Y, Li Z, Huang W, Yuan J, He G, Chen Y, Pan Q, Liu Y, Tang J, Wu G, Zhang H, Shi Y, Liu Y, Yu C, Wang B, Lu Y, Han C, Cheung DW, Yiu SM, Peng S, Xiaoqian Z, Liu G, Liao X, Li Y, Yang H, Wang J, Lam TW, Wang J. 2012. SOAPdenovo2: an empirically improved memory-efficient short-read *de novo* assembler. *GigaScience* 1:18. <https://doi.org/10.1186/2047-217X-1-18>.
- Seemann T. 2014. Prokka: rapid prokaryotic genome annotation. *Bioinformatics* 30:2068–2069. <https://doi.org/10.1093/bioinformatics/btu153>.
- Medema MH, Blin K, Cimermancic P, De Jager V, Zakrzewski P, Fischbach MA, Weber T, Takano E, Breitling R. 2011. AntiSMASH: rapid identification, annotation and analysis of secondary metabolite biosynthesis gene clusters in bacterial and fungal genome sequences. *Nucleic Acids Res* 39:W339–W346. <https://doi.org/10.1093/nar/gkr466>.



Correction for Ichiwaki et al., “Genome Sequence of *Micromonospora* sp. NBS 11-29, an Antibiotic and Hydrolytic Enzyme Producer, Isolated from River Sediment in Brazil”

Simone Ichiwaki,^a Aline C. M. M. Costa,^a Eliane G. Silva,^a Lina R. M. Rada,^a Felipe R. Lima,^a Mabel P. Ortíz-Vera,^a Leandro M. Garrido,^a Maria Inês Z. Sato,^b Wellington L. Araújo,^a Gabriel Padilla^a

^aNAP-BIOP, Department of Microbiology, Institute of Biomedical Sciences, University of São Paulo, São Paulo, Brazil

^bDepartment of Environmental Analysis, Environmental Company of São Paulo State (CETESB), São Paulo, Brazil

Volume 5, no. 28, e00552-17, 2017, <https://doi.org/10.1128/genomeA.00552-17>.
Page 2: The first sentence of Acknowledgments should read as follows. “This project was supported by the Pró-Reitoria de Pesquisa/University of São Paulo (USP), CNPq (grant 02458/2013-3), CAPES (institutional student grants), and FAPESP (grant 2017/12647-0).”

Published 18 October 2018

Citation Ichiwaki S, Costa ACMM, Silva EG, Rada LRM, Lima FR, Ortíz-Vera MP, Garrido LM, Sato MIZ, Araújo WL, Padilla G. 2018. Correction for Ichiwaki et al., “Genome sequence of *Micromonospora* sp. NBS 11-29, an antibiotic and hydrolytic enzyme producer, isolated from river sediment in Brazil.” *Microbiol Resour Announc* 7:e01346-18. <https://doi.org/10.1128/MRA.01346-18>.

Copyright © 2018 Ichiwaki et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Wellington L. Araújo, wlaraujo@usp.br, or Gabriel Padilla, gpadilla@icb.usp.br.

The associated article was published under the title Genome Announcements (ISSN: 2169-8287). In July 2018, Genome Announcements was renamed Microbiology Resource Announcements.